

## **ATERNITY MOBILE CLOUD SERVICE**

### **SECURITY MEASURES**

These Security Measures describe the technical and organizational security measures implemented by the Aternity Mobile Cloud Service.

#### [Table of Contents](#)

OVERVIEW .....	3
DEFINITIONS.....	3
1. SECURITY ORGANIZATION & PROGRAM .....	3
2. HUMAN RESOURCE SECURITY .....	3
2.1. Personnel Background Checks .....	3
2.2. Personnel Agreements .....	3
2.3. Personnel Training.....	3
3. SECURITY CERTIFICATIONS & ATTESTATIONS.....	3
4. CLOUD ARCHITECTURE & DATA SEGREGATION .....	3
4.1. Hosting Architecture .....	3
4.2. Customer Data Storage .....	3
4.3. Data Segregation .....	4
5. ENCRYPTION.....	4
5.1. Customer Data Encryption .....	4
5.2. Encryption Key Management .....	4
6. ACCESS CONTROL.....	4
6.1. Access Provisioning .....	4
6.2. Password Controls .....	4
7. PHYSICAL & ENVIRONMENTAL SECURITY .....	4
7.1. Cloud Environment Data Centers .....	4
7.2. Riverbed Corporate Offices .....	4
8. SYSTEM AND NETWORK SECURITY .....	5
8.1. Endpoint Controls .....	5
8.2. Asset Management.....	5
8.3. Separation of Environments.....	5
8.4. Monitoring & Logging .....	5
8.5. Network Management .....	5
9. APPLICATION DEVELOPMENT & CHANGE MANAGEMENT .....	5
9.1. Application Development .....	5
9.2. Change Management .....	5
10. VULNERABILITY DETECTION & MANAGEMENT .....	5
10.1. Antivirus & Vulnerability Detection.....	5
10.2. Penetration Testing .....	6
10.3. Vulnerability Management.....	6
11. SECURITY INCIDENT MANAGEMENT .....	6
11.1. Policies & Procedures .....	6
11.2. Security Incident Notification & Communication.....	6
12. VENDOR RISK MANAGEMENT .....	6

- 13. RESILIENCE & SERVICE CONTINUITY ..... 6
  - 13.1. Resilience ..... 6
  - 13.2. BCP/DR..... 6
  - 13.3. Customer Data Backups ..... 6
- 14. APPLICATION SECURITY TOOLS FOR CUSTOMERS ..... 7
  - 14.1. Configurable Security Policies ..... 7
  - 14.2. Audit Logs ..... 7
  - 14.3. Session IDs ..... 7

## OVERVIEW

The Aternity Mobile Cloud Service (“**Aternity Mobile**”) is a cloud-based digital experience management platform providing a comprehensive view of mobile app and device performance across employee mobile devices by capturing and storing technical telemetry data at scale.

## DEFINITIONS

The definitions below contain a series of terms that are used throughout this document. When encountering one of these capitalized terms, please refer to the definition below.

- “**AWS**” means Amazon Web Services.
- “**Customer(s)**” means the enterprise companies that have subscribed to Aternity Mobile.
- “**Customer Data**” means all information and data submitted by or on behalf of a customer to Aternity Mobile.
- “**Personal Data**” means any information related to an identified or identifiable natural person.
- “**Personal Data Breach**” means a subtype of Security Incident involving Personal Data.
- “**REST API**” means the Aternity Mobile cloud API.
- “**Security Incident**” means a breach of Aternity Mobile’s security leading to the accidental or unlawful destruction, loss, alteration, unauthorized disclosure of, or access to, Customer Data on systems managed or otherwise controlled by Riverbed. “Security Incidents” will not include unsuccessful attempts or activities that do not compromise the security of Customer Personal Data, including unsuccessful log-in attempts, pings, port scans, denial of service attacks, and other network attacks on firewalls or networked systems.
- “**Trust Center**” means the security and privacy related documentation applicable to Aternity Mobile, as updated from time to time, and accessible via the Trust Center at [www.riverbed.com/trust-center](http://www.riverbed.com/trust-center) (or a successor website designated by Riverbed).

## 1. SECURITY ORGANIZATION & PROGRAM

Riverbed has a dedicated Information Security team that manages Riverbed’s security program. The Information Security team is headed by Riverbed’s Chief Information Security Officer (“**CISO**”). Riverbed’s CISO meets with executive management regularly to discuss security-related matters and coordinate company-wide security initiatives. Riverbed’s security program has a set of information security policies that have been approved by management, published, and communicated to relevant Riverbed personnel.

## 2. HUMAN RESOURCE SECURITY

### 2.1. Personnel Background Checks

Riverbed performs background checks on all new employees at the time of hire in accordance with applicable local laws. Riverbed currently verifies a new employee’s education and previous employment and performs reference checks. Where permitted by applicable law, the scope may also include criminal, credit, immigration, and security checks depending on the nature and scope of a new employee’s role.

### 2.2. Personnel Agreements

All Riverbed personnel are required to enter into employment agreements including provisions relating to acceptable use, code of conduct/ethics, and confidentiality.

### 2.3. Personnel Training

All Riverbed personnel must undergo annual security, data handling and privacy training. Select roles are required to undergo additional security training.

## 3. SECURITY CERTIFICATIONS & ATTESTATIONS

Aternity Mobile holds the following security-related certifications and attestations. Copies of such may be requested by visiting the Trust Center.

- ISO27001

## 4. CLOUD ARCHITECTURE & DATA SEGREGATION

### 4.1. Hosting Architecture

Aternity Mobile leverages AWS’s Infrastructure-as-a-Service (“**IaaS**”) cloud service and Riverbed provides Aternity Mobile to Customers using a Virtual Private Cloud (“**VPC**”) and storage hosted by AWS (“**Cloud Environment**”). The Cloud Environment (including all hardware, software, and other supporting infrastructure) is owned, managed, and protected by the security and environmental controls of AWS. More information regarding such AWS controls is available at <https://aws.amazon.com/compliance/>.

### 4.2. Customer Data Storage

The hosting location of Customer Data is the production Cloud Environment in the Region offered by Riverbed and selected by Customer. “**Region**” means the physical location of an AWS data center cluster; Region selection dictates where Customer Data is stored and Cloud

Environment resources are provisioned. As of this this document's publication date, Customers may select from the following Regions: Europe (Dublin, Ireland)).

### 4.3. Data Segregation

Aternity Mobile is operated in a multi-tenant architecture that is designed to segregate and restrict access to Customer Data. Customer Data is segregated using application logical segmentation: each customer is assigned a customer-specific unique account key and data is tagged as belonging to that customer; these account keys also facilitate the use of customer and user role-based access privileges.

## 5. ENCRYPTION

### 5.1. Customer Data Encryption

For Customer Data sent or received electronically, Riverbed encrypts Customer Data both in transit while outside the network and within the network. Riverbed encrypts Customer Data at rest using AES 256-bit encryption.

### 5.2. Encryption Key Management

Aternity Mobile manages and maintains encryption keys in accordance with key management industry standards and using AWS's centralized key management system ("KMS"). Customer Data stored within AWS is encrypted at all times. AWS does not have access to unencrypted Customer Data.

## 6. ACCESS CONTROL

### 6.1. Access Provisioning

Riverbed has an access control program that has been approved by management and communicated to relevant Riverbed personnel. Riverbed uses a central identity and access management system to provision access by Riverbed personnel in accordance with the principle of least privilege. Riverbed personnel are authorized to access Customer Data based on their job function, role, and responsibilities, and such access requires approval. All Riverbed personnel access to the Cloud Environment is via a unique user ID and password meeting the password controls outlined below; in addition, multi-factor authentication is required for remote access, IP filtering and access via privileged accounts. Remote sessions timeout after a 30-minute period. Access rights are reviewed at least semi-annually. An employee's access is promptly removed upon termination of their employment.

Only a select predefined group of users are granted privileged system administration accounts: operations staff and SaaS admin users; each action taken by system administrators is audited. On a weekly basis, the Riverbed team reviews any activities requiring privilege administrative access and ensures such activities were undertaken by authorized users.

### 6.2. Password Controls

For Riverbed personnel, password requirements include a minimum password length of at least 12 characters, complexity (a combination of upper-case letters, lower-case letters, numbers and special characters), 24 unique passwords must be used before a user can re-use a password, and passwords must expire within 60 days or less. Initial and temporary passwords must be random and complex and changed upon next login. Riverbed personnel are trained and required to change passwords if there is any indication of a possible compromise of the password system. Passwords are encrypted in transit and encrypted and/or hashed when stored.

## 7. PHYSICAL & ENVIRONMENTAL SECURITY

### 7.1. Cloud Environment Data Centers

Riverbed regularly reviews the AWS physical and environment controls for its data centers hosting the Cloud Environment as audited under AWS's third-party audit and certifications. Riverbed requires that any third-party IaaS cloud service provider engaged by Riverbed to have a SOC 2 Type II annual audit and ISO 27001 certification, or industry recognized equivalent frameworks.

### 7.2. Riverbed Corporate Offices

While Customer Data is not hosted at Riverbed's corporate offices, the controls applicable to Riverbed's corporate offices include, but are not limited to, the following:

- Physical access to the corporate office is controlled;
- Fingerprint access is required for all Riverbed personnel;
- Visitor sign-in is required;
- Use of CCTV at building ingress points;
- Fire detection and sprinkler systems; and
- Climate control systems.

## 8. SYSTEM AND NETWORK SECURITY

### 8.1. Endpoint Controls

For access to the Cloud Environment, Riverbed personnel use Riverbed-issues laptops which utilize security controls that include, but are not limited to, (i) disk encryption, (ii) malware and antivirus monitoring and alerting, and (iii) vulnerability management. Endpoints are not used to store or process Customer Data and Aternity Mobile does not send or receive Customer Data via physical media.

### 8.2. Asset Management

Riverbed maintains and periodically reviews an asset management program approved by management that is communicated to relevant Riverbed personnel; the asset management program includes an asset inventory list. A process is in place to verify the return of Riverbed personnel assets (e.g., laptops, access cards, tokens, etc.) upon termination. Riverbed personnel must return assets as soon as possible and access is revoked promptly upon termination.

### 8.3. Separation of Environments

Development, test and staging environments are separated from the production environment by either separate VPC, Availability Zone (data centers) or physical location. The Cloud Environment is both logically and physically separate from Riverbed's corporate offices and networks.

### 8.4. Monitoring & Logging

**Infrastructure Logs.** Aternity Mobile monitors and logs the following activities within the Cloud Environment; logs are stored for 1 year.

- Production issues are logged on a daily basis.
- The following activities are logged on a weekly basis: (i) failed logon attempts, (ii) application user locks, (iii) successful application log-ons by admin users, (iv) application data changes by Riverbed personnel, (v) application errors based on application KPIs, (vi) access denied to resources, and (vii) changes to user accounts by admin users.
- The following activities are logged on a monthly basis: (i) security updates are performed on all servers, (ii) security events detected by A/V and IPS/IDS, (iii) A/V scan was performed, and (iv) uptime report.

**User Logs.** As further described in the Documentation, Aternity Mobile also captures logs of certain activities and changes within a Customer's account and makes those logs available to Customer.

### 8.5. Network Management

Given that Aternity Mobile utilizes AWS as our IaaS provider, AWS manages all physical-level network management, including (but not limited to) physical access controls, redundancy, capacity, and routing. Aternity Mobile uses several virtual network services such as VPC, Security Groups, and Web Application Firewall (WAF) to manage and protect network traffic within our virtual infrastructure in AWS.

## 9. APPLICATION DEVELOPMENT & CHANGE MANAGEMENT

### 9.1. Application Development

No outside development resources are utilized in Aternity Mobile's development. Aternity Mobile utilizes a formal Software Development Life Cycle ("SDLC") process that has been approved by management and communicated to appropriate Riverbed personnel. The Riverbed product management team is responsible for maintaining and reviewing the SDLC policy. Aternity Mobile is evaluated from a security perspective prior to promotion to production. For every release, the following security testing procedures are performed: (i) security requirements gathering, (ii) security architecture review, (iii) security signoffs, (iv) secure code reviews, and (v) vulnerability scans.

### 9.2. Change Management

Aternity Mobile maintains a documented change management / change control process that includes: (i) change control procedures required for all changes to the production environment, (ii) testing prior to deployment, (iii) stakeholder communication and/or approvals, (iv) documentation for all system changes, (v) version control for all software, (vi) logging of all change requests, (vii) backout procedures are required for production changes, and (viii) access to make changes to source code is restricted to select Riverbed personnel.

Customers are notified two (2) weeks' prior to scheduled maintenance; as of this document's publication date, scheduled maintenance is performed on a monthly basis on a weekend night between Saturday and Sunday (EST).

## 10. VULNERABILITY DETECTION & MANAGEMENT

### 10.1. Antivirus & Vulnerability Detection

The Cloud Environment leverages advanced threat detection tools, which are used to monitor and alert for suspicious activities, potential malware, viruses and/or malicious computer code. New anti-malware signature updates are deployed no later than twenty-four (24) hours after release. Vulnerability scans are performed on a daily basis.

## 10.2. Penetration Testing

On an annual basis, an independent consulting firm executes an application penetration test, a REST API penetration test and an external network penetration test against the in-scope Aternity Mobile assets. An executive summary of the Aternity Mobile penetration test may be requested via the Trust Center.

## 10.3. Vulnerability Management

Identified vulnerabilities are remediated in accordance with the following timelines: critical (45 days), high (60 days), and medium (120 days) after discovery and identification. Vulnerabilities classified as low priority are added to the development roadmap and generally remediated within the next release cycle.

# 11. SECURITY INCIDENT MANAGEMENT

## 11.1. Policies & Procedures

Aternity Mobile has an established incident management program that has been approved by management and communicated to relevant Riverbed personnel. The incident management program leverages a centralized incident management tool and Aternity Mobile maintains a formal incident response plan, including guidance for: (i) feedback and lessons learned; (ii) applicable data breach notification requirements (including notification timing), (iii) escalation procedure, (iv) communication timelines and process, (v) procedures to collect and maintain a chain of custody for evidence during incident investigation, and (vi) actions to be taken in the event of a Security Incident. Testing of the Aternity Mobile incident response plan occurs at least annually and include end-to-end testing, associated BCP / DR plans, and review of the test result by product management leadership and remediation if needed.

## 11.2. Security Incident Notification & Communication

Riverbed notifies Aternity Mobile Customers of (a) Security Incidents as required by applicable law; and (b) Personal Data Breaches without undue delay. Notification(s) of any Security Incident(s) or Personal Data Breach(es) (as applicable) will be delivered to one or more of the Customer's business, technical or administrative contacts by any means Riverbed selects, including via email. Riverbed will provide all such timely information and cooperation as a customer may reasonably require in order for the customer to fulfill its data breach reporting obligations under applicable data protection laws. Riverbed will take such measures and actions as it considers necessary to remedy or mitigate the effects of a Security Incident or Personal Data Breach and will keep respective customers informed in connection with such Security Incident or Personal Data Breach.

# 12. VENDOR RISK MANAGEMENT

When engaging third-party providers of products and services ("**Vendors**") Riverbed requires non-disclosure agreements be in place with any potential Vendor before engaging in discussions regarding a potential business arrangement. Riverbed's procurement and legal teams review proposed Vendor engagements. For those Vendors that will have access to Riverbed's internal networks and/or will store, process, or transmit data, Riverbed assesses the security and privacy practices of such Vendors to ensure they provide a level of security and privacy appropriate to the data and scope of services they are engaged to deliver. Vendors are required to enter into appropriate security, confidentiality and privacy contract terms with Riverbed based on the risks presented by the Vendor assessment.

# 13. RESILIENCE & SERVICE CONTINUITY

## 13.1. Resilience

All Aternity Mobile networking, systems, and application components are configured in a redundant configuration. The Cloud Environment leveraged by Aternity Mobile is designed to mitigate the risk of single points of failure and provide a resilient environment to support continuity and performance. AWS utilizes independent [Availability Zones](#) with high availability and is architected to automatically fail-over between Availability Zones without interruption.

## 13.2. BCP/DR

Aternity Mobile has a business continuity plan ("**BCP**") and disaster recovery disaster recovery ("**DR**") plan. Aternity Mobile DR tests on a annual basis to validate the ability to failover a production instance from the primary data center to the secondary data center utilizing Aternity Mobile's DR procedures. The BCP plan is validated on an annual basis.

## 13.3. Customer Data Backups

Customer Data is automatically replicated on a near real-time basis to two secondary database servers ("**Read Replicas**") and backed-up to localized data stores in a different AWS data center. The Read Replicas are backed-up on a daily basis; back-ups are retained for a 1-week period and each back-up includes any data retained for the previous 45 day period on a rolling basis.

Aternity Mobile has the following recovery time objective ("**RTO**") and recovery point objective ("**RPO**"):

- RTO: Less than 1 minute provided that the Read Replicas are not damaged. Assuming the worst-case scenario, i.e., the Read Replicas are damaged, the RTO is 24 hours.
- RPO: The maximum targeted period for which Customer Data might be lost is 24 hours.

## 14. APPLICATION SECURITY TOOLS FOR CUSTOMERS

### 14.1. Configurable Security Policies

Customers can configure organization-wide security policies for Aternity Mobile user accounts to better protect access to Aternity Mobile; configuration options include:

- Single sign on (SSO) / SAML integration including multi-factor authentication;
- Role-based administration;
- Idle timeout;
- Provisioning/deprovisioning process for the customer's Aternity Mobile user accounts;
- API management;
- For native authentication (when SAML 2.0-based Single Sign-On is not utilized), Aternity Mobile encrypts passwords in transit and in storage; and
- Encrypted communications are required for all remote connections.

### 14.2. Audit Logs

The following user log audit data is accessible to Customers via the REST API: (i) Aternity Mobile user account log-ins, (ii) configuration changes, and (iii) API access.

### 14.3. Session IDs

Aternity Mobile generates session IDs automatically/randomly; session IDs are in-memory only and are not stored except in the memcache service provided by AWS. Session IDs are sent only over encrypted connections and rotated after successful login. Aternity Mobile disconnects the sessions when the user terminates the session. Aternity Mobile automatically terminates a customer session and logs out if the customer session has been idle for more than 30 minutes.